

## Network Video Recorder

**Version: V5.01.060 build240110**

### Release Note


<b>Firmware Basic Information</b>	Firmware Version:	V5.01.060 build240110
	SDK Version:	V6.1.9.48
	Play Library:	V6.0.0.5
	Web component:	V5.0.1_R0102 build 231213
	OpenSDK Version:	V2.15.3 (Ezviz), V2.14.1(OTAP)

### Reason of Upgrade

User interface innovation. Add new features and optimize product performances.


### New User Interface

## 【New User Interface of Local Output】



# HIKVISION

First Choice for Security Professionals



Storage Schedule

Batch Schedule Configuration | Batch Advanced Configuration | Configure Template

Channel Name	Enable	Record Schedule	Plan Details	Advanced Settings
[D1] IPCamera 01	On	All-Day Continuous	View	Settings
[D2] IPCamera 02	On	All-Day Continuous	View	Settings
[D3] IPCamera 03	On	All-Day Continuous	View	Settings
[D4] IPCamera 04	On	All-Day Continuous	View	Settings
[D5] IPCamera 05	On	All-Day Continuous	View	Settings
[D6] IPCamera 06	On	All-Day Continuous	View	Settings
[D7] IPCamera 07	On	All-Day Continuous	View	Settings
[D8] IPCamera 08	On	All-Day Continuous	View	Settings
[D9] IPCamera 09	On	All-Day Continuous	View	Settings
[D10] IPCamera 10	On	All-Day Continuous	View	Settings
[D11] IPCamera 11	On	All-Day Continuous	View	Settings
[D12] IPCamera 12	On	All-Day Continuous	View	Settings
[D13] IPCamera 13	On	All-Day Continuous	View	Settings
[D14] IPCamera 14	On	All-Day Continuous	View	Settings
[D15] IPCamera 15	On	All-Day Continuous	View	Settings
[D16] IPCamera 16	On	All-Day Continuous	View	Settings

Save

## 【New User Interface of Web】

HIKVISION

Welcome

English

User Name

Password

[Forgot password?](#)



Log In

When using the product, please respect the privacy and other rights of individuals.

©2023 Hikvision Digital Technology Co., Ltd. All Rights Reserved.

# HIKVISION

First Choice for Security Professionals



The screenshot displays the Hikvision Storage Schedule configuration interface. The main area shows a table of recording channels:

Channel Name	Enable	Recording Schedule	Advanced Configuration
[D1] IPdome 01	<input checked="" type="checkbox"/>	All-Day Continuous 5	
[D2] IPdome 02	<input checked="" type="checkbox"/>	All-Day Continuous 5	
[D3] Camera 01	<input checked="" type="checkbox"/>	All-Day Continuous 5	
[D4] IPCamera 05	<input checked="" type="checkbox"/>	All-Day Continuous 5	


Below the table, there is a pagination control showing 'Total 4' and '20/page'. At the bottom right of the table area, there are navigation buttons: '< 1 >' and '1 / 1 Go'.

The 'Schedule Details' panel on the right shows a calendar view for the current month. The calendar has a header with 'Conti...' and 'Event' buttons, and an 'Erase' button. The calendar grid shows days of the week (Mon to Sun) and hours (00 to 24). The entire grid is highlighted in blue. Below the calendar, there are 'Save' and 'Copy to...' buttons.

## Key New Features

### **【Support AcuSearch Function】**

Support AcuSearch function. Users can use human body in current playback pictures as search target to find related video clips about this target on the historical video of different channels.




## 【Support Smart Search Function】

Support Smart Search function. Users can draw rules in the playback interface to retrieve video clips related to human and vehicle.




## 【Support Slice Playback Function】

Support Slice Playback Function. Users can slice the playback of a channel on a given day by the hour, and then slice an hour's playback by the minute, then find changing of certain scene.




## 【Support Event Center】

1. Support Event Center. Users can view all real-time alarm, search all historical events and configure all events in this module.





2. Support alarm pop-up window. Users can enable alarm pop-up window function to realize that when NVR receive an alarm, a window pop up to show detailed information about the alarm.




## 【Support Device Group Management】

Support setting different types of devices into different groups for more convenient management.



## 【Support Auto-Switch for Custom View】

Support creating different custom views. Then users can configure auto-switch among different custom views.



## Note

Please refer to User Manual to get information about more detailed new features.

## **Product List**

### **M Series DeepinMind**

iDS-7608NXI-M2/X
iDS-7608NXI-M2/8P/X
iDS-7616NXI-M2/X
iDS-7616NXI-M2/16P/X
iDS-7632NXI-M2/X
iDS-7716NXI-M4/X
iDS-7716NXI-M4/16P/X
iDS-7732NXI-M4/X
iDS-7732NXI-M4/16P/X
iDS-9616NXI-M8/X
iDS-9616NXI-M8R/X
iDS-9632NXI-M8/X
iDS-9632NXI-M8R/X
iDS-9632NXI-M16/X
iDS-9632NXI-M16R/X
iDS-9664NXI-M8/X
iDS-9664NXI-M8R/X
iDS-9664NXI-M16/X
iDS-9664NXI-M16R/X

## **Customer Impact and Recommended Action**

This new firmware upgrade is to improve product performance, and will take effect automatically after upgrading from previous versions. We'd like to inform you the above changes. Also, we are sorry for any possible inconvenience of use-habit changes caused by this action.

Note:

- Hikvision has all rights to alter, modify and cancel this notice.
- Hikvision doesn't give any guarantee for old models' stock.
- Hikvision is not liable for any typing or printing errors.
- For special model's change details, please contact our local technical support team.